SIEMENS

Data sheet

3VJ1105-5DB32-0AA0



circuit breaker 3VJ1 IEC framesize 3VJ11 125A line protection ATFM 3-pole Icu=36kA@415V Ics=75% Icu In=50A overload protection Ir=40A...50A shortcircuit protection Ii=600A Screw connection

Model	
product designation	Molded Case Circuit Breaker
design of the product	Line protection
design of the overcurrent release	ATFM
protection function of the overcurrent release	L
number of poles	3
General technical data	
insulation voltage / rated value	1 000 V
operating voltage / at AC / rated value	415 V
power loss [W] / maximum	31.5 W
power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	10.5 W
mechanical service life (operating cycles) / typical	15 000
electrical endurance (operating cycles) / at AC-1 / at 380/415 ${\rm V}$	5 000
ground-fault monitoring version	without
Net Weight	1.42 kg
Current	
continuous current / rated value	50 A
operational current	
• at 40 °C	50 A
• at 45 °C	50 A
• at 50 °C	50 A
● at 55 °C	48.6 A
• at 60 °C	47.2 A
Switching capacity according to IEC 60947	
maximum short-circuit current breaking capacity (Icu)	
• at 415 V	36 kA
operating short-circuit current breaking capacity (Ics)	
• at 415 V	27 kA
short-circuit current making capacity (Icm)	
• at 415 V	75.6 kA
Adjustable parameters	
adjustable current response value current / of the current- dependent overload release	40 50 A
adjustable current response value current / of instantaneous short-circuit trip unit	
• minimum	600 A
• maximum	600 A
product function / grounding protection	No
Mechanical Design	
height	150 mm

12 mm 15 mm Front connection .ug connection line and load side	
ug connection line and load side	
ug connection line and load side	
lo	
lo	
P42	
10 °C	
0° 0°	
15 °C	
75 °C	
Approvals / Certificates	
P 1 50	

Type Test Certificates/Test Report

Confirmation

 Further information

 Information on the packaging

 https://support.industry.siemens.com/cs/ww/en/view/109813875

 Information- and Downloadcenter (Catalogs, Brochures,...)

 http://www.siemens.com/lowvoltage/catalogs

 Industry Mall (Online ordering system)

 https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VJ1105-5DB32-0AA0

 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

 https://support.industry.siemens.com/cs/ww/en/ps/3VJ1105-5DB32-0AA0

 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


 http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VJ1105-5DB32-0AA0

 CAx-Online-Generator

 http://www.siemens.com/cax

 Tender specifications

 http://www.siemens.com/specifications



last modified:

8/9/2023 🖸